

GOVERNMENT OF WEST BENGAL
Office of the Headmistress
D. L. Roy Women Primary Teachers' Training Institute
KRISHNAGAR, NADIA.



S.T.D. : 03472
152494

Memo No. 04/09-2010

Dated 03.4.09

From
The Assistant Headmistress
D.L.Roy Women Primary Teachers' Training Institute,
Krishnagar,
Nadia.

To
The Executive Engineer, PWD(C.B) Dte,
Krishnagar Division,
P.W(C.B) Dte, Kanthalpota,
Krishnagar,
Nadia.

Sub : Building completion certificate.

Ref : Our office Memo No 203/08-09 Dt.04.02.09
(code no-APE01054.

Sir,

In continuation to our office Memo No referred above, no response received from your end till date. The time limit (90 days) given by RD,ERC,NCTE to remove the defeciciencies , now already expired. Yet, We received an opportunity letter for 30 days from the date of issue of his letter Memo No ERC/7-94.8.35 2009/15853 dt.26.3.09 (copy attached). The content of which is self explanatory.

Now please issue the 'Building completion certificate' mentioning therein Khasra No, Plot No, details of land area, built up area of this Institution as per the R.D.,ERC's(notice) letter dt. 26.3.09 (Sl No.iv), which is required to be submitted to the ERC,NCTE, for the proposed DED course, failing which the application for grant of Recognition to this Institute will be refused by ERC.

I do sincerely hope that you will realise the urgency and the matter will be entertained at at topmost priority from your end and do the needful at your earliest convenience.

Your kind co-operation will be highly appreciated in this regard.

Thanking you,

Encls: As stated above & Poraka.

Memo No : 04/1/2/09-2010 dt. 03.4.09.

Copy to :

1. Asstt. Engineer, PWD(C.B) Dte
Krishnagar Division, P.W CB, Dte,
Kanthalpota, Krishnagar,
Nadia.
2. Asstt. Engineer, Krishnagar Division, No-I,
P.W(C.B) Dte, Krishnagar, Nadia.

Yours faithfully,

sd/-

Received
at 16-50 P.M.
Km
08/04/09

Assistant Headmistress
D.L.Roy Women Primary Teachers' Training Institute
Krishnagar, Nadia.
D.L. Roy Women P.T.I.
Krishnagar, Nadia
Krishnagar.